

BOSS

SNOWPLOW





TABLE OF CONTENTS

FORGE® SPREADERS	04	WBX SERIES: WALK-BEHIND SPREADERS	14
VBX SPREADERS	06	SHOVELS	15
VBX COMPACT	08	SPREADER MATERIAL GUIDE	16
EXACT PATH® DROP SPREADERS	09	ICE CONTROL PARTS & ACCESSORIES	18
TGS SPREADERS	10		
QUICKCUBE® SYSTEM	12		



SNOW AND ICE DON'T STAND A CHANCE

BOSS spreaders are designed to be the final component in a snow and ice contractors' commitment to safety. These spreaders save time for professionals and save them from having to worry about labor costs. Regardless of the storm size, you can be sure that BOSS spreaders will always RESTORE ORDER because BOSS is here to BACK YOU UP.

TWO-YEAR LIMITED WARRANTY

All BOSS snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit bossplow.com for more details.

LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see bossplow.com for more details.

To comply with federal regulations and to ensure a safe vehicle, do not exceed the front gross axle weight rating (FGAWR), rear gross axle weight rating (RGAWR), gross vehicle weight rating (GVWR) or maximum vehicle payload ratings at any time. Combinations of equipment such as snowplows and spreaders, density of material being spread and the number of vehicle occupants should be taken into consideration. Ensuring these limitations are not exceeded may require weighing the vehicle and adding ballast as necessary. For receiver hitch-mounted products, do not exceed hitch rating at any time. Completed vehicle must not exceed front GAWR or GVWR.

Enhance the power, performance and durability of your BOSS product with Genuine BOSS Parts & Accessories. Ask your dealer for information or shop online at bossplow.com



BOSS Products, a division of The Toro Company, reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein.

*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.



**STAINLESS STEEL
CONSTRUCTION**

**14.5" DIAMETER
URETHANE SPINNER**

**OPTIMAL
DURABILITY &
SERVICEABILITY**



MODELS

STAINLESS 1.0,
1.5, 2.0 Long Bed

Available with
Pintle or Auger.

STANDARD FEATURES

Material Feed System features a heavy-duty pintle chain or powder-coated auger for long life and durability.

Stainless Steel Hopper is built to outlast the elements and is available in 1.0, 1.5 and 2.0 cubic yard capacities.

Dual Variable Speed Controller is equipped with overload protection and is backlit for clear visibility and ease of use. Auto-reverse is also available on the auger only models.

14.5" Diameter Urethane Spinner is durable and corrosion-resistant and ensures consistent distribution.

Enclosed Spinner Motor is weather- and dust-resistant to ensure performance, durability and reliability.

Vibrator reduces material bridging for ease of operation (standard for auger; optional for pintle).

Inverted V-Baffle reduces material build-up for optimal spreading efficiency (standard for auger; available as an accessory for pintle).

Chain Cleaning Brush removes excess material from chain on every pass (pintle chain only).

Full-Length Slide-Out Tray captures falling deicing material, keeping it away from truck bed, preventing corrosion (pintle chain only).



FORGE® SPREADERS

FIGHT ICE WITH STEEL

The FORGE® stainless steel hopper and drivetrain enhance the sturdiness and durability in adverse winter conditions. It's another example of tough, reliable innovations from BOSS.



Forge® 2.0 Long Bed
2 cubic yards of capacity.
Longer hopper makes loading simpler with loader bucket.



Forge® 1.5
1.5 cubic yards of capacity
(shown with pre-wet)

PRE-WET

Optional pre-wet allows contractors to pre-wet solid deicing material, improving material performance.

OPTIONAL ACCESSORIES

- Backup Camera
- Spill Guards (Excludes 2.0 Long Bed)
- Halogen and LED Light Kits
- Tarp
- Extension Kit
- Vibrator Kit*
- Inverted V*
- Pre-Wet**

*Standard on auger; optional on pintle.
**VBX display needed.

HOPPER EXTENSION KIT

Add additional capacity to your FORGE® spreader by adding a FORGE® Extension Kit. Increase material capacity by a full ½ yard by adding these easy-to-install Stainless Steel Extensions.



Hopper Spill Guards

Protect the bed of the truck from salt spills when filling FORGE® 1.0 and 1.5 spreaders. Spill guards widen the top width of the spreader, making loading with loader buckets easier. (Excludes FORGE® 2.0 Long Bed.)



SEE MORE





**DURABLE
POLY HOPPER**

**POWERFUL
ELECTRIC MOTORS**

**SPREADS VARIOUS
DEICING MATERIALS**

MODELS

POLY VBX 6500
VBX 8000
VBX 9000

Available with
Pintle or Auger.

STANDARD FEATURES

Material Feed System features a heavy-duty pintle chain or powder-coated auger for long life and durability.

Poly Hopper is built to outlast the elements.

Dual Variable Speed Controller is equipped with auto-reverse (auger only) and overload protection.

Full-Length Slide-Out Tray captures falling deicing material, keeping it away from truck bed, preventing corrosion (pintle chain only).

LCD Screen In-Cab Controller is backlit for clear visibility and ease of use.

14.5" Diameter Urethane Spinner is durable and corrosion-resistant and ensures consistent distribution.

Enclosed Spinner Motor is weather- and dust-resistant to ensure performance, durability and reliability.

Tarp With Integrated Tie-Downs protects spreading material from the elements.



VBX SPREADERS

STOP THE FREEZE

Some of the most powerful tools in your snow and ice removal arsenal, BOSS VBX spreaders are built to make your work easier and more productive.



VBX 9000
3 cubic yards of capacity



Pre-Wet
Available on new VBX
and FORGE® spreaders
(excludes VBX 3000)

Dual Variable Speed Vibrators reduce material bridging for ease of operation (standard for auger; optional for pindle).

Inverted V-Baffle reduces material build-up for optimal spreading efficiency (standard for auger; available as an accessory for pindle).

Chain Cleaning Brush removes excess material from chain on every pass (pindle chain only).

PRE-WET

Optional pre-wet allows contractors to pre-wet solid deicing material, improving material performance.

OPTIONAL ACCESSORIES

- Backup Camera
- Pre-Wet
- LED Light Upgrade Kit
- Inverted V*
- Vibrator Kit*

*Standard on auger; optional on pindle.



SEE MORE



**VBX COMPACT****MAX POWER.
SMALL SIZE.**

The BOSS VBX 3000 spreader brings the power and efficiency of the truck VBX spreader line to your compact vehicle or UTV.

**SHAFTLESS
4" AUGER
WITH 4" OF PITCH**

**INVERTED
V-BAFFLE**

POLY HOPPER

**MODELS**

POLY VBX 3000

STANDARD FEATURES

Shaftless 4" Auger with 4" of Pitch reduces jamming.

Poly Hopper is built to outlast the elements.

Vibrator helps reduce material bridging for ease of operation.

Tarp with Integrated Tie-Downs protects spreading material from the elements.

Inverted V-Baffle reduces material build-up for optimal spreading efficiency.

12" Diameter Urethane Spinner is durable and corrosion-resistant and ensures consistent distribution.

Spinner Motor is sealed for durability and maximum spreading efficiency.

Dual Motor Control adjusts material flow and spread-width on the fly.

**OPTIONAL ACCESSORIES**

- LED Work Light Kit

SEE MORE



**EXACT PATH® DROP SPREADERS****PRECISION PERFECTED**

By giving contractors more control over the amount dispensed, the BOSS EXACT PATH® can drop deicing material where it's needed, saving grass and landscaping.

**AVAILABLE IN
2.5 & 6.0
CUBIC FEET CAPACITIES**

**8-POSITION
ADJUSTABLE FEED GATE**

**STAINLESS STEEL
HOPPER AND FRAME**

MODELS

STAINLESS
2.5, 6.0

STANDARD FEATURES

8-Position Adjustable Feed Gate allows you to adjust the material dispense rate.

Stainless Steel Hopper and Frame Construction are made to outlast the elements.

Solid Poly Hopper Cover With Flexible Draw Latch protects against weather and is made to last.

Stainless Steel Top Screen With Bag Splitter easily opens bags and filters deicing material.

Enclosed 12-Volt Electric High-Torque Motor is weather- and dust-resistant to ensure performance, durability and reliability.

Variable Speed Control comes standard on all EXACT PATH® spreaders.



Adjustable Feed
Gate Lever



EXACT PATH® 2.5

AVAILABLE ATTACHMENT METHODS

- Category 1, 3-point Hitch
- Toro® Groundsmaster® Mount Kit
- UTV Bed Mount Kit
- Height-Adjustable 2" Slide-In Receiver

SEE MORE



TAILGATE MOUNTED

**12-VOLT
ELECTRIC HIGH-TORQUE SPINNER MOTOR**

**12" DIAMETER
URETHANE SPINNER**

MODELS

POLY TGS 300
TGS 600
TGS 800
2-STAGE
TGS 1100

STANDARD FEATURES

Adjustable Feed Gate allows you to adjust the material discharge amount. (Optional on TGS 300. TGS 300 includes Material Saver System.)

Poly Adjustable Material Deflector allows you to adjust the material discharge width and direction pattern.

12" Diameter Urethane Spinner is durable and corrosion-resistant and ensures consistent distribution.

Enclosed 12-Volt Electric High-Torque Spinner Motor is weather- and dust-resistant to ensure performance, durability and reliability.

Low-Profile Poly Hopper Design provides better visibility.

Variable Speed Control with LED digital display is equipped with blast feature and overload protection.

Choose Your Attachment System with a slide-in system or the RT3 system. (RT3 is not available on TGS 300.)

Solid Poly Hopper Cover protects against weather and is made to last.

Stabilizer Arms and Tie-Down Straps minimize any side-to-side movement. (Stabilizer arms are not available on TGS 300.)

Top Screen With Bag Splitter easily opens bags and filters deicing material. (Bag splitter is not included on TGS 300.)



TGS SPREADERS

TAKE IT ON WITH CONFIDENCE

The easiest way to arm yourself against the snow and ice is with BOSS TGS Spreaders. Our tailgate-mounted spreaders easily attach and quickly and efficiently disperse deicing materials.



TGS 300



TGS 600



TGS 800



TGS 1100



Optional RT3 Attachment System allows you to easily attach and detach your spreader. (Not available on TGS 300.)

Enclosed Feed Motor powers the feed paddle mechanism with 12 volts of high-torque electric power (TGS 800 only).

Swing-Away Spinner Assembly allows for quick removal of leftover material (TGS 800 only).

Material Saver System eliminates material flow of fine deicers when spreader is in transport (TGS 300 only).

OPTIONAL ACCESSORIES

- TGS Vibrator Kit*
- RT3 Attachment System*
- Material Saver System**

*Excludes TGS 300 | **Standard on TGS 300



SEE MORE





ALL-IN-ONE SALT SPREADER AND STORAGE

**1,000 LB
MATERIAL CAPACITY**

EASY FILLING



QUICKCUBE® BENEFITS

Improve Response Time by staging a skid steer and QuickCube® system at the job site for lightning fast response time.

Reduce Fuel Costs and Truck Wear and Tear by diminishing the transportation of salt and deicing materials.

A Weather-Resistant, Stackable Design has each cube holding about 1,000 pounds of salt, eliminating the need for remote piles, tarps and temporary shelters.

Expand Your Labor Pool by hiring skid steer operators rather than truck drivers. Always check local laws regarding licensing.

Load Simply and Easily using a skid steer bucket to fill two QuickCube® units simultaneously.

Transport Loaded Cubes ahead of time while the weather is good to reduce the risk of truck travel on snowy, icy days.





QUICKCUBE® SYSTEM

MORE WAYS TO GET THE JOB DONE

The BOSS QuickCube® brings efficiency to new heights. With the ability to hold up to 1,000 lbs. of deicing material and the ability to double as a storage system, the BOSS QuickCube® system increases profitability while decreasing operational costs.



Front



Back



Side

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.



SEE MORE



WBX SERIES: WALK-BEHIND SPREADERS**SECURE THE
SIDEWALK**

Take a professional approach to sidewalks everywhere. BOSS Walk-Behind Salt Spreaders provide a flexible option to clear ice from walkways.

**RUGGED
STAINLESS STEEL FRAME**

**GRIPPY 13"
PNEUMATIC SNOW TIRES**

ERGONOMIC DESIGN

**MODELS**

WBX 80

WBX 100

To see more BOSS walk-behind spreader models, visit bossplow.com.

STANDARD FEATURES

2-Position Adjustable Handles to ergonomically fit a wider range of operators.

Solid Stainless Steel Linkage for more reliable and accurate gate control.

Salt Deflector Package for greater control over material dispersal.

Material Cover to keep ice melt protected from the elements.

Quick and Easy Assembly ensures productivity out of the box.

WBX 80
80 lb. material capacity.

Walking-Floor Agitation fights clumps and clogs to keep material flowing.

Smooth-Walled Poly Hopper allows material to slide freely as agitator pulls it down through the gate.

WBX 100
100 lb. material capacity.

Wide-Mouth Gate for increased flow control.

Steep-Wall, Agitator-Free Poly Hopper resists bridging of material and reduces additional load on drivetrain.



**SHOVELS****CLEAR THE PATH FORWARD**

True, reliable performance when it comes to old-fashioned snow removal.

STANDARD FEATURES

BOSS Red Fiberglass, Reinforced Handle The reinforced core insert plug provides additional strength and durability with twice the wall thickness of the industry standard.

D-Grip Handle Designed to fit bulky, gloved hands, the D-style grip allows for comfortable, powerful, ergonomic position.


BOSS Reflective Strip The added safety reflector provides visibility for crews working at night near traffic.

Serviceable Shovel BOSS makes replacing components simple even after years of use in tough conditions.





SPREADER MATERIAL GUIDE




Walk-Behind Spreader



TGS 300

DOWNLOAD





NOTE: Assumes dry, free-flowing material. Vibrators should not run continuously. The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.



MAKE THE ICE SWEAT

With BOSS Ice Control Parts & Accessories,
ice doesn't stand a chance.



SEE MORE





ICE CONTROL PARTS & ACCESSORIES



HOPPER SPREADERS

PRE-WET SYSTEM

Equipped with a 60-gallon tank, the pre-wet system allows contractors to pre-wet solid deicing materials as they are distributed. Available on new VBX and FORGE® spreaders. Mounting bracket included. (Excludes VBX 3000.)



INVERTED V

Control the weight and flow of materials onto the pintle chain with this optional accessory. Inverted V comes standard on auger spreaders.

HOPPER VIBRATOR KIT

Improve material flow and handling with the addition of the Hopper Spreader Vibrator Kit. This kit supports both the VBX and FORGE® model spreaders (standard on auger; optional on pintle).

BACKUP CAMERA

The spreader backup camera has a 150° viewing angle, 20G vibration rating and IP68 waterproof rating. It is equipped with infrared lights that allow for 50 feet of vision at night as well as a 7" LCD color monitor with backlit buttons.



TGS

TGS VIBRATOR KIT

Improve material flow and handling with the TGS Vibrator Kit. This kit reduces material flow issues and increases your efficiency and profitability. (Not recommended for TGS 300.)

MATERIAL SAVER SYSTEM

Eliminate material flow when the spreader is not in use. Intended for fine deicers that are prone to leaking. (Standard on TGS 300; optional on TGS 600 and TGS 1100. Not available on TGS 800.)

FORGE®

TARP

Protect spreading material from the elements with a vinyl-coated polyester tarp and bungee tie-downs. (Optional on FORGE® models.)

WORK LIGHT KIT

Increase visibility of the spreader when plowing at night. The FORGE® work light kit includes two headlights and all hardware and wiring to activate lights from inside the cab or at the rear of the spreader. (LED kit available as well as halogen.)

HOPPER SPILL GUARDS

Protect the bed of the truck from salt spills when filling FORGE® 1.0 and 1.5 spreaders. Spill guards widen the top width of the spreader, making loading with loader buckets easier. (Excludes FORGE® 2.0 Long Bed.)



HOPPER EXTENSION KIT

Add additional capacity to your FORGE® spreader by adding a FORGE® Extension Kit. Increase material capacity by a full ½ yard by adding these easy-to-install Stainless Steel Extensions.

TOOLS

SCOOP AND PUSHER SHOVELS

BOSS has joined forces with the leaders in high-performance, contractor-grade snow shovels! These tough, durable, high-performance shovels are built for the abuse of the season with premium blade material for unmatched scraping ability.



5-GALLON BUCKETS AND LIDS

Be ready for the worst weather with 5-gallon buckets that allow you to carry additional supplies to any job site. (Sold separately.)



CALL 800-286-4155

Email sales@bossplow.com | bossplow.com



**SEE HOW BOSS CONTINUES TO BACK YOU UP.
GET MORE INFO, WATCH VIDEOS, FIND A DEALER OR CHAT LIVE.**



With quality and reliability at the forefront, BOSS Genuine Parts are designed, built and tested to fit your BOSS product.




SnowCare for Troops is a nationwide outreach program that performs free snow removal for active military families.



Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including Truck Equipment, Compact Vehicle Equipment, Heavy Equipment, Ice Control Equipment, Snowrator® and Accessories. **Ask your local dealer about financing options!**



Exclusive to BOSS Owners, joining the community gives you a profile page, a free gift and access to special offers and information on BOSS products and services.



PATENTS: www.ttcopats.com

©2022 BOSS Products. All Rights Reserved. Printed in U.S.A. Form #SLS-ICE02022

Case is a registered trademark of CNH Industrial America. Chevy and the Chevy logo are registered trademarks of General Motors Corporation. The "f" logo is a registered trademark/service mark of Facebook, Inc. The Instagram logo is a registered service mark of Instagram, LLC. The Twitter logo is a registered trademark/service mark of Twitter, Inc. The YouTube logo is a registered trademark/service mark of Google LLC. The "in" logo is a registered service mark of LinkedIn Corporation. The Blogger logo is a registered service mark of Google LLC. The Omnia Partners logo is a registered service mark of Omnia Partners, Inc. The Sourcewell logo is a service mark of National Joint Power Alliance. The Advantage International Registrar logo is a trademark of Advantage International Registrar, Inc. All other trademarks belong to BOSS Snowplow.

BOSS Products
2010 The BOSS Way
Iron Mountain, MI 49801

BOSS PRODUCTS ARE DESIGNED AND
MANUFACTURED IN AN APPROVED
ISO 9001:2015 REGISTERED FACILITY.

