




HD 2.3/14 C Ed Food

Cold water high-pressure cleaner for use in the food industry. Accepts incoming water up to 180°F. Compact dimensions, solid construction and excellent maneuverability.



1 Variable pressure/water flow control



HD 2.3/14 C Ed Food

- Easy Press trigger gun with soft grip
- For sensitive sanitary, hygiene and food areas
- Grey, non-marking wheels

Technical data

Water Volume	GPM	1,1 / 2,3
Operating pressure	PSI	300 / 1400
Connected load	A	20
Power rating	hp	3,2
Weight	lbs	68
Dimensions (L x W x H)	in	15 x 14 x 37
Power supply	Ph / V / Hz	1 / 120 / 60

Equipment

Anti-twist system (AVS)	■
Three piston axial pump	with ceramic piston
Triple nozzle (0°/25°/40°)	Manual
Trigger gun	Easy-press trigger gun
Pressure switch control	■
Trigger gun with soft grip	■
Switch-CHEM-System	-
Servo Control	-

■ Included in delivery.




		Order no.	ID		Length	RRP	Description	
Standard with unions on both sides								
High-pressure hose, 30 m DN 8, including rotary coupling	1	6.390-293.0	ID 8	315 bar	30 m			▲
Longlife 400 with unions on both sides								
High-pressure hose Longlife 400, 30 m DN 8, including rotary coupling	2	6.390-294.0	ID 8	400 bar	30 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	3	6.390-178.0	ID 8	400 bar	1,5 m			□
Longlife food design with screw connections at both ends								
High pressure hose food DN 8 / 10 m	4	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	5	6.391-887.0	ID 8	400 bar	20 m			▲
Food industry version								
High-pressure hose 15 m DN 6, AVS trigger gun connector 11 mm, suitable for food industry, grey	6	6.391-654.0	ID 6	250 bar	15 m			■
Longlife food design								
High-pressure hose Longlife 400, 15 m, DN 6, AVS trigger gun connection	7	6.391-888.0	ID 6	400 bar	15 m			□
Special hoses								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	8	6.388-886.0	ID 8	400 bar	1,5 m			□

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.		Nozzle size			RRP	Description	
Triple nozzles									
	1	4.767-150.0	300 bar	40					■
	2	4.767-157.0	300 bar	60					□
Triple nozzle, touchless changeover									
	3	4.767-067.0		60					□
Dirt blaster, large									
	4	4.763-250.0	300 bar	55					□
Inaktiv									
	5	4.763-949.0	300 bar	55					□
Inaktiv									
	6	4.763-955.0	300 bar	55					□

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.		Length		RRP	Description	
Rotating spray lances								
Lance 850 mm, rotatable, ergonomic	1	4.760-663.0	300 bar	840 mm				■
Rotatable lance, 600 mm, ergonomic	2	4.760-664.0	300 bar	600 mm				□
1050 mm lance, rotatable, ergonomic	3	4.760-660.0	300 bar	1050 mm				□
Lance 1550 mm, rotatable, ergonomic	4	4.760-661.0	300 bar	1550 mm				□
Lance 2050 mm, rotatable, ergonomic	5	4.760-662.0	300 bar	2050 mm				□
Lance for industrial use, grey	6	4.760-655.0	300 bar	1050 mm				□
Spray lances								
Anti-vibration lance	7	6.415-951.0	250 bar	950 mm				□
Spray lance								
Lance 250 mm, non-rotatable	8	4.760-667.0		250 mm				□
Double lance								
Double lance 960 mm	9	6.394-665.0	310 bar	960 mm				□
Variable pressure spray lance								
Variable pressure spray lance	10	4.760-362.0		670 mm				□
Variable pressure lance	11	4.760-230.0		1040 mm				□
Adapter for variable pressure spray lance								
Adapter for variable pressure lance	12	4.762-075.0						□
Angular spray lance								
WC and gutter lance	13	4.760-073.0						□
Flexible spray lance								
Flexible lance 1050 mm	14	6.394-654.0	210 bar	1050 mm				□
Telescopic spray lance								
Telescopic jet pipe	15	6.394-690.0	225 bar					□
Strap for telescopic spray pipe	16	6.373-987.0						□
Gutter cleaner								
Gutter cleaning lance	17	2.642-305.0						□
Undercarriage spray lance								
Underbody lance	18	4.760-245.0		700 mm				□

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.	Water Volume	Nozzle size	Diame- ter	RRP	Description	
Hard surface cleaner FRV 30								
FRV 30	1	2.642-999.0						<input type="checkbox"/>
Add-on kit rubber lip	2	2.642-910.0						<input type="checkbox"/>
Extension hose 5 m	3	4.440-939.0						<input type="checkbox"/>
Add-on kit hose attachment	4	2.642-528.0						<input type="checkbox"/>
Add-on kit dirt trap	5	2.642-532.0						<input type="checkbox"/>
Hard surface cleaner FR 30								
FR 30	6	2.642-997.0			300 mm			<input type="checkbox"/>
FR 30 Me surface cleaner								
FR 30 ME surface cleaner	7	2.640-355.0			300 mm			<input type="checkbox"/>
Hard surface cleaner FR 50								
FR 50 surface cleaner	8	2.640-679.0			500 mm			<input type="checkbox"/>
Machine-specific nozzle kits for FR								
Nozzle kit for surface cleaners (type-specific) 650 - 850 l/h	9	2.639-187.0	650-850 l/h					<input type="checkbox"/>
Machine-specific nozzle kits for FRV								
Nozzle kit 050 - for FRV 30	10	2.642-433.0		50				<input type="checkbox"/>
FRV 30 Me surface cleaner								
FRV 30 ME	11	2.642-911.0						<input type="checkbox"/>
Suction hose FRV 30 me	12	4.441-040.0						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.					RRP	Description	
Nozzle union									
Nozzle connector	1	5.401-210.0							<input type="checkbox"/>
Nozzle union food industry	2	5.401-318.0							<input type="checkbox"/>
Spacer (including nozzle union)									
Spacer (incl.nozzle union)	3	5.394-294.0							<input type="checkbox"/>
Coupling parts									
	4	6.987-705.0							<input type="checkbox"/>
Rotary coupling									
Rotary coupling	5	4.401-091.0							<input type="checkbox"/>
Coupling									
Coupler -2xM22x1,5	6	4.403-002.0							<input type="checkbox"/>
Connector									
Nozzle connector/screw connector	7	4.402-022.0							<input type="checkbox"/>
Adapters									
Adapter M22 - Swivel	8	4.424-004.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.




1



2-4

		Order no.	Nozzle size				RRP	Description	
HP nozzle spray angle 0°									
HP nozzle spray angle 0°	1	2.884-537.0	60						<input type="checkbox"/>
Power nozzle spray angle 15°									
Power nozzle spray angle 15°	2	2.883-391.0	60						<input type="checkbox"/>
Power nozzle spray angle 25°									
Power nozzle 25° spray angle	3	2.883-402.0	60						<input type="checkbox"/>
Power nozzle spray angle 40°									
Power nozzle 40° spray angle	4	2.884-525.0	55						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.	Water Volume			RRP	Description	
Trigger guns								
High end high-pressure trigger gun	1	4.775-823.0						<input type="checkbox"/>
Servo control								
Rotary controller stainless steel 416L	2	4.775-800.0	750-1100 l/h					<input type="checkbox"/>
Quick connect								
Quick coupling	3	6.401-458.0						<input type="checkbox"/>
Plug nipple	4	6.401-459.0						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.




		Order no.	Nozzle size				RRP	Description	
Wet blasting attachment (without nozzle)									
Wet blasting attachment with flow control (without nozzles)	1	4.762-010.0							<input type="checkbox"/>
Wet blasting attachment without flow control (nozzles not included)	2	4.762-022.0							<input type="checkbox"/>
Boron carbide nozzle									
Boron carbide nozzle, for machines as of 1000 l/h	3	6.415-084.0	6 mm						<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.	Nozzle size	Diame- ter	RRP	Description	
Pipe cleaning hose, ID 6							
Pipe cleaning hose	1	6.390-028.0	120 bar				<input type="checkbox"/>
Pipe cleaning hose, DN 6, 30 m	2	6.390-029.0	120 bar				<input type="checkbox"/>
Pipe cleaning hose, DN 6, 20 m, 220 bar	3	6.390-030.0	250 bar				<input type="checkbox"/>
Pipe cleaning nozzle							
Pipe cleaning dirt blaster D 25 / 060	4	6.415-945.0	60	25 mm			<input type="checkbox"/>
Pipe cleaning dirt blaster D 30 / 060	5	6.415-947.0	60	30 mm			<input type="checkbox"/>
Pipe cleaning dirt blaster D 35 / 060	6	6.415-949.0	60	35 mm			<input type="checkbox"/>
Rotating pipe cleaning nozzle	7	6.415-428.0	50	16 mm			<input type="checkbox"/>

Included in delivery.
 Available accessories.
 Extension hose.




		Order no.	Water Volume				RRP	Description	
Cup foam lance									
Tank 1L	1	6.414-954.0							<input type="checkbox"/>
Cup foam lance	2	6.394-668.0	1200 l/h						<input type="checkbox"/>
Inno Foam Kit									
Inno foam set HD 7/10 CXF	3	2.641-544.0							<input type="checkbox"/>
Easy Foam Set									
Easy-Foam-Set HD 7/10 CXF	4	2.641-564.0							<input type="checkbox"/>
Foam nozzle mounting kit									
Foam nozzle kit	5	2.637-926.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.	Length				RRP	Description	
Automatic, self-winding hose reels									
Swivel holder	1	2.639-931.0							<input type="checkbox"/>
Add-on kit hose reel plastics	2	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	3	6.392-965.0	20 m						<input type="checkbox"/>
Hose reel, automatic, 20 m, painted	4	2.639-919.0	20 m						<input type="checkbox"/>
Hose reel, automatic, 20 m, stainless steel	5	6.391-421.0	20 m						<input type="checkbox"/>
ABS hose reel stainless steel	6	2.641-866.0	20 m						<input type="checkbox"/>

Included in delivery.
 Available accessories.
 Extension hose.



	Order no.	Length	Diameter	RRP	Description	
Starting current limiter						
Starting current limiter	1	2.637-495.0				<input type="checkbox"/>
Geka coupling						
Geka connector with hose barb, R 1/2"	2	6.388-461.0				<input type="checkbox"/>
Geka connector with inner thread, R 3/4"	3	6.388-473.0				<input type="checkbox"/>
Suction filter						
Water filter	4	6.414-956.0				<input type="checkbox"/>
Suction filter with check valve	5	4.730-012.0				<input type="checkbox"/>
Water fine filter						
Fine-mesh water filter with adapter	6	4.730-102.0				<input type="checkbox"/>
Water supply hose						
Water supply hose	7	4.440-038.0	7,5 m			<input type="checkbox"/>
	8	4.440-207.0	7,5 m			<input type="checkbox"/>
Backflow check valve						
Backflow preventer	9	2.641-374.0				<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.



		Order no.	Water Volume			RRP	Description	
Push-on washing brush								
Push-on wash brush, M 18 x 1.5	1	4.762-016.0						<input type="checkbox"/>
Rotating washing brush								
Washing brush rotary	2	4.762-560.0	500-800 l/h					<input type="checkbox"/>
	3	4.762-561.0	500-800 l/h					<input type="checkbox"/>

Included in delivery.
 Available accessories.
 Extension hose.