


# BUSH HOG®



*Performance  
You Can  
Count  
On™*

## MANURE SPREADERS

MS-G & MS-P SERIES



MS-G Series

# MANURE SPREADERS - GROUND DRIVEN



## MS250G

Recommended 15-25 HP

- 25 Bushel Heaped Capacity (31.25 cu.ft.)
- Ground Drive
- 6 x 12/5 Tires/Bolts
- 8 Paddles
- 510 Lbs. Total Weight W/Tires
- 34 Lbs. Tongue Weight
- Box Dim. (LxWxH) 72" x 26" x 15"
- Dim. (LxWxH) 117" x 48" x 29"



## MS500G

Recommended 15-30 HP

- 50 Bushel Heaped Capacity (62.5 cu.ft.)
- Ground Drive
- 7.6 x 15/5 Tires/Bolts
- 10 Paddles
- 795 Lbs. Total Weight W/Tires
- 50 Lbs. Tongue Weight
- Box Dim. (LxWxH) 89" x 32" x 17"
- Dim. (LxWxH) 156" x 57" x 35.5"



## MS800G

Recommended 20-45 HP

- 80 Bushel Heaped Capacity (100 cu.ft.)
- Ground Drive
- 7.6 x 15/5 Tires/Bolts
- 10 Paddles
- 920 Lbs. Total Weight W/Tires
- 56 Lbs. Tongue Weight
- Box Dim. (LxWxH) 102" x 38" x 20"
- Dim. (LxWxH) 168" x 63" x 37"

## Ground Driven – For vehicles without PTO capabilities.

MS-G Manure spreaders offer simplicity and reliability for applications where a PTO doesn't exist. Offering a full size range, MS-G ground drive units can be used with vehicles such as ATVs, UTVs or even lawn tractors. Traction implement tires are standard on GROUND DRIVE units to ensure the torque is there for a fine, consistent spread.



**Built To Last.**

MS-P Series

# MANURE SPREADERS - PTO DRIVEN



## MS500P

Recommended 18-30 HP

- 50 Bushel Heaped Capacity (62.5 cu.ft.)
- PTO Drive
- 7.6 x 15/5 Tires/Bolts
- 10 Paddles
- 795 Lbs. Total Weight W/Tires
- 50 Lbs. Tongue Weight
- Box Dim. (LxWxH) 89" x 32" x 17"
- Dim. (LxWxH) 156" x 57" x 35.5"



## MS800P

Recommended 25-45 HP

- 80 Bushel Heaped Capacity (100 cu.ft.)
- PTO Drive
- 7.6 x 15/5 Tires/Bolts
- 10 Paddles
- 920 Lbs. Total Weight W/Tires
- 56 Lbs. Tongue Weight
- Box Dim. (LxWxH) 102" x 38" x 20"
- Dim. (LxWxH) 168" x 63" x 37"



## MS1300P

Recommended 45-75 HP

- 130 Bushel Heaped Capacity (162.5 cu.ft.)
- PTO Drive
- 11L-15SL/6 Tires/Bolts
- 10 Replaceable Paddles
- 2180 Lbs. (est) Total Weight W/Tires
- 330 Lbs. (est) Tongue Weight
- Box Dim. (LxWxH) 130" x 48" x 23"
- Dim. (LxWxH) 214" x 79" x 42"



## MS1300X

Recommended 45-75 HP

- 11R22.5/8 Retread Tires/Bolts
- 130 Bushel Heaped Capacity (162.5 cu.ft.)
- PTO Drive
- 10 Replaceable Paddles
- 2500 Lbs. Total Weight W/Tires
- 330 (est) Lbs. Tongue Weight
- Box Dim. (LxWxH) 130" x 48" x 23"
- Dim. (LxWxH) 214" x 90" x 48"
- MS1300X Model features large diameter retread tire designed for bigger tractors and smoother towing/spreading

## PTO Driven – For vehicles with PTO power.

PTO DRIVE MS-P SERIES manure spreaders offer increased power and spreading consistency combined with ease of use. PTO DRIVE models harness the power of your tractor to deliver capacities of 50, 80 and 130 bushels to your field. Connected by belt and pulley, the driveshaft and gear box deliver efficient power to the beaters.



2501 Griffin Ave.  
Selma, Alabama 36703  
Tel: 800-363-6096  
Fax: 334-874-2701  
[www.bushhog.com](http://www.bushhog.com)

Bush Hog and  (hog icon) are registered trademarks of Alamo Group Inc. Copyright © 2018