

KM 70/30 C Bp Pack Adv

This unit is the successor to the KSM 690. The main roller brush and side brush are electrically driven, making sweeping corners simple. The folding push handle is fully adjustable.









- 1 Adjustable push handle
- Excellent ergonomics due to triple adjustment option
- Foldable for space-saving parking.

- 3 Easy to transport
- Front and rear handles for easy transport, e.g. on stairs.

2 EASY-Operation concept

■ Easy to use programme selector switch.

4 Fine dust vacuuming (Adv version only)

- Electric suction fan for removing fine dust from the waste container.
- Can be switched off for sweeping wet floors.

TECHNICAL DATA AND EQUIPMENT





KM 70/30 C Bp Pack Adv

- lacksquare With charger and batteries (Bp Pack version)
- Electrically powered main roller brush and side brushes
- Continuously adjustable roller brush and side brushes

Technical data		
Working width	in	18,9
Working width with 1 side brush	in	28
Drive	V/W	12 / 195
Container	gal	11
Filter area	ft²	6,56
Charging time rechargeable battery	h	12
Battery running time	h	2,5 / 3,5
Ship Weight (with accessories)	lbs	105,8
Dimensions (L x W x H)	in	48,8 × 28 × 45,3

Equipment			
Fine dust filter			
Adjustable roller brush			
Foldable side brush			
Side brush, can be raised and adjusted			
Fold-down push handle			
Indoor applications			
Outdoor applications			
Battery and charger included			
Electric sweep drive			

■ Included in delivery.





			1		ı	ı	I		_
		Order no.	Anzahl	Dummy	Dummy	Dummy	RRP	Description	
Flat pleated filter, paper									
Flat filter only for replacement Kaerche	1	6.904-367.0	1 piece(s)						

[■] Included in delivery.

Available accessories.



		Order no.	Installation ex works	Battery volta-	Battery capaci- ty		RRP	Description	
Traction batteries									
Battery	1	6.654-202.0		12 V	26 Ah	mainte- nance- free			•
Chargers									
Charger	2	6.654-234.0		12 V					

[■] Included in delivery.

□ Available accessories.









		Order no.	Installation ex works	Length / width	Diame- ter		RRP	Description
Standard main roller brushes		'				'		<u> </u>
Standard roller brush	1	6.906-041.0		480 mm				
Flat pleated filter								
Filter cartridge for KM 70/30 C	2	5.731-625.0						
Flat pleated filter	3	6.904-176.0						
Main roller brush, soft/ moisture-p	roof							
Main roller brush, soft/ moisture- proof	4	6.903-995.0		480 mm				
Main roller brush, hard								
Main roller brush, hard	5	6.903-999.0		480 mm				
Main roller brush, antistatic								
Reversing rolling mill antistatic	6	6.907-023.0		480 mm				

[■] Included in delivery.

Available accessories.





		Order no.	Installation ex works	Length / width	Diame- ter	RRP	Description
Standard side brushes							
Side broom	1	6.966-005.0			330 mm		

[■] Included in delivery.

Available accessories.





	I						\neg
			Installation ex				
		Order no.	works		RRP	Description	
Other mounting kits							
ABS bulk waste gripper	1	2.640-908.0					

[■] Included in delivery.

Available accessories.